

BARRACKS SANITATION

Proponent / Phone No. MEDDAC

Point of Contact: _____

Unit Inspected: _____

Date of Inspection: _____

Unit Representative: _____

Unit Phone No.: _____

Inspector's Name: _____

Inspector's Phone No.: _____

Unit Overall Rating: T P U

REFERENCES: a. AR 40-5, Oct 90 b. FM 8-250, Jan 86.

STANDARDS: "T"= 90% success rate of evaluated tasks with no failed critical tasks. "P"= 70% success rate of evaluated tasks with no failed critical tasks. "U"= less than 70% success rate of evaluated tasks or one failed critical task.

INSPECTION CRITERIA:	LEVEL	GO	NO GO	REMARKS
Initial Entry Training				
1. CRITICAL: The latrines and shower facilities are in good repair and are cleaned on a daily basis. a. Adequate numbers of plumbing facilities are provided. b. Latrines are supplied with toilet paper, soap, and paper towels. (AR 40-5, Para 12-7; FM 8-250, Para 19-2)	CO			
2. CRITICAL: The soldiers are prescribed 72 square feet of floor space. a. Distance between bunks is kept to a maximum b. Head-to-foot sleeping arrangement is utilized (AR 40-5, Para 12-7; FM 8-250, Para 5-8).	CO			
3. CRITICAL: The barracks are properly ventilated and heating temperatures are controlled. (AR 40-5, Para 12-7; FM 8-250, Para 19-2).	CO			
4. CRITICAL: The overall sanitary quality of the barracks is satisfactory including insect and rodent control guidelines. (AR 405-, Para 12-7; FM 8-250, Para 19-2).	CO			
5. Unserviceable furniture is being replaced. (i.e. mattresses) (AR 40-5, Para 12-7).	CO			
Permanent Party				
1. CRITICAL: The latrines and shower facilities are cleaned and in good repair. (AR 40-5, Para 12-7).	CO			
2. CRITICAL: The overall sanitary quality of the barracks is satisfactory including insect and rodent control. a. Food is kept in covered/sealed containers. b. All openings to the outside are sealed. c. Waste receptacles are covered and emptied daily. (AR 40-5, Para 12-7).	CO			
3. CRITICAL: The soldiers are prescribed 72 square feet of floor space which includes maintaining the maximum distance between bunks possible. (AR 40-5, Para 12-7; FM 8-250, Para 5-8)	CO			
4. The refrigerators and air vents are kept clean. (AR 40-5, Para 12-7)	CO			
5. Unserviceable furniture is replaced? (i.e. mattresses) (AR 40-5, Para 12-7).	CO			
REMARKS:				

BARRACKS SANITATION
